


DRUM FAN

**DF 20P**



## FUNCTIONING PRINCIPLES



High velocity axially operated industrial three -speed drum fan equipped with a frame allowing vertical and horizontal air stream adjustment , while operating on the floor or being mounted to the wall or ceiling.

## TECHNICAL DATA

Max capacity	W	<b>100</b>	Power supply	V	<b>230</b>
Energy source		<b>Electric</b>	Frequency	Hz	<b>50</b>
Net weight	kg	<b>12</b>	Rated current	A	<b>0,44</b>
Gross weight	kg	<b>13</b>	International Protection Rating		<b>IP44</b>
Noisy level	dBa	<b>70/71/72</b>			
Air displacement	m <sup>3</sup> /h	<b>3600/4800/6600</b>			

## PACKING

Package dimensions	mm	<b>700 x 210 x 685</b>
Device dimensions	mm	<b>690 x 200 x 675</b>
Pieces per Euro-pallet	n°	<b>18</b>
Pallet dimensions	mm	<b>840 x 1200 x 2200</b>


## COMPONENTS

Motor

Asynchronous, monophasic, with thermal protection,

## ACCESSORIES

## WIRING DIAGRAM



P PLUG

S SWITCH

M MOTOR

C CAPACITOR